Honeywell
THE POWER OF CONNECTED

Productivity Products

Printer Portfolio

INDUSTRIAL PRINTERS

Series	Max Media Width	Print Resolution	Max. Print Speed	Print Mode	Connectivity	Print Languages	RFID Support
HIGH PERFORMANCE							
PX4i							
	4.7"	203/300/406 dpi	300 mm/s (12 ips)	Direct Thermal, Thermal Transfer	Industrial Port, Dual Serial Ports	Fingerprint/ Direct Protocol, IPL, ZSim (ZPL), DSim (DPL)	-
PX6i							
	6.6"	203/300 dpi	225 mm/s (9 ips)	Direct Thermal, Thermal Transfer	Industrial Port, Dual Serial Ports	Fingerprint/ Direct Protocol, IPL, ZSim (ZPL), DSim (DPL)	-
H-Class ★							
	8.5"	203/300/406/600 dpi	300 mm/s (12 ips)	Direct Thermal, Thermal Transfer		PL-Z, PL-B, PL-I	HF/UHF
MID RANGE							
PM43/PM43c							
	4.5"	203/300/406 dpi	300 mm/s (12 ips)	Direct Thermal, Thermal Transfer	, Industrial Interface, Dual Serial Ports	Fingerprint/ Direct Protocol, IPL, DSim (DPL), XML enabled, C# for printers, ZSim2	UHF
NEW **PM42 ★**							
	4.5"	203/300/406 dpi	300 mm/s (12 ips)	Direct Thermal, Thermal Transfer		Fingerprint, DP, IPL, DPL, XML enabled, C# for printers, ZSim2	No
I-Class MK II ★							
	4.6"	203/300/600 dpi	300 mm/s (12 ips)	Direct Thermal, Thermal Transfer		DPL, PL-Z, PL-I,	No
M-Class MK II ★							
	4.6"	203/300 dpi	254 mm/s (10 ips)	Direct Thermal, Thermal Transfer		PL-Z, PL-I, PL-B	HF/UHF*
PM23c							
	2.7"	203/300/406 dpi	300 mm/s (12 ips)	Direct Thermal, Thermal Transfer	Industrial Interface	Fingerprint/ Direct Protocol, IPL, DSim (DPL), XML enabled, C# for printers, ZSim2	UHF
VALUE TIER							
PD43 ★ / PD43c							
	4.6"	203/300 dpi	203 mm/s (8 ips)	Direct Thermal, Thermal Transfer		Fingerprint/ Direct Protocol, IPL, ESim (EPL), DSim (DPL), XML enabled, C# for printers, ZSim2	HF/UHF

** M-4210 / M4308*

Products with a Star (★) represents the APAC Focus Models.

DESKTOP PRINTERS

Series	Max Media Width	Print Resolution	Max. Print Speed	Print Mode	Connectivity	Print Languages	RFID Support
HIGH PERFORMANCE							
PC43d/t ★							
	4.6"	203/300 dpi	203 mm/s (8 ips)	Direct Thermal, Thermal Transfer		Fingerprint/ Direct Protocol, IPL, DSim (DPL), C# for printers, ZSim2	UHF
MID RANGE							
E-Class Basic/Advanced/ Professional ★							
	4.4"	203/300 dpi	**Basic:** 101 mm/s (4 ips) **Advanced:** 127 mm/s (5 ips) **Pro:** 152 mm/s (6 ips)	Direct Thermal, Thermal Transfer	**Basic:** **Advanced:** USB 2.0 **Pro:** USB 2.0	PL-Z, PL-I, PL-B PL-E, XML enabled	No
VALUE TIER							
NEW **PC42t Plus**							
	4.3"	203 dpi	101 mm/s (4 ips)	Direct Thermal, Thermal Transfer	, Host and Device	Direct Protocol (DP), ESim (EPL), ZSim2	No
NEW **PC42d**							
	4.1"	203 dpi	101 mm/s (4 ips)	Direct Thermal	, Host and Device	Direct Protocol (DP), ESim (EPL), ZSim2	No

MOBILE LABEL PRINTERS

Series	Media Type	Max Media Width	Print Resolution	Max. Print Speed	Print Mode	Connectivity	Print Languages
NEW **RP 2"/4"** ★							
	Receipt Label	2", 4"	203 dpi	101 mm/s (5 ips)	Direct Thermal	, NFC	EZ-Print, DPL, ZPL II, CPCL, IPL, XML (limited)
PB22/32 ★ **/50**							
	Label	2.2", 3.3", 4.4"	203 dpi	101 mm/s (4 ips)	Direct Thermal		IPL, FingerPrint, Zsim (ZPL II), ESC-P, DSim (DPL), CSim (CPCL)

Connecitvity Key Bluetooth® Ethernet Parallel Serial USB Alliance Certified

MOBILE LABEL PRINTERS

Series	Media Type	Max Media Width	Print Resolution	Max. Print Speed	Print Mode	Connectivity	Print Languages
RL3e/4e ★							
	Label	2.8", 4.1"WW	203 dpi	101 mm/s (4 ips)	Direct Thermal		EZ-Print, DPL, ZPL II, CPCL, IPL, XML (limited)

MOBILE RECEIPT PRINTERS

Series	Media Type	Max Media Width	Print Resolution	Max. Print Speed	Print Mode	Connectivity	Print Languages
MID RANGE							
MF4te ★							
	Receipt	4.4"	203 dpi	51 mm/s (2 ips)	Direct Thermal		EZ-Print, Line Mode
PB21/31 ★ /51							
	Receipt	2.2", 3.3", 4.4"	203 dpi	101 mm/s (4 ips)	Direct Thermal		IPL, FingerPrint, Zsim (ZPL II), ESC-P, DSim (DPL), CSim (CPCL)
VALUE TIER							
PR2/3 ★							
	Receipt	2.2", 3.1"	203 dpi	76 mm/s (3 ips)	Direct Thermal	IrDA,	CSim (CPCL) XSim (Ex-PCL) ESC-P
APEX 2i/3i/4i							
	Receipt	2.2", 3.1", 4.3"	203 dpi	51 mm/s (2 ips)	Direct Thermal	**Apex 2i:** , BT 2.1, IrDA **Apex 3i/4i:** , BT 2.1, IrDA, USB 2.0	ExPCL, Line Mode

Products with a Star (★) represents the APAC Focus Models.

To View the APAC Printer Warranty Terms, Please Visit

https://www.honeywellaidc.com/-/media/en/files-public/warranty/apac-printer-warranty-terms.pdf?la=en-SG

For more information

www.honeywellaidc.com

Honeywell Safety and Productivity Solutions
Asia Pacific Headquarters
17 Changi Business Park Central 1
Honeywell Building
Singapore 486073
Tel: +65 6714-6800

Printer_Portfolio_SB | Rev01 | 07/17
© 2017 Honeywell International Inc.

Honeywell